

ICS-96加利戰術步槍 ICAR-MRS. TACTICAL RIFLE DEBUT





INDEX

頁次Page	內容Info
01	簡介(Brief)
02	產品特色1. 強韌且輕量的材質運用 Durable and light with manageable material
03	產品特色2. MRS戰術軌道系統 MRS Tactical Module Rail system
04	產品特色3. 可調式貼腮模組 Adjustable Cheek Rest
05	產品特色4. 人體工學設計 Ergonomic Design
06	ICS-96 ICAR MRS Specification 規格表







ICS-96加利戰術步槍 ICAR-MRS. TACTICAL RIFLE DEBUT

簡介Brief

經典與現代的融合ICS-96 ICAR-MRS加利戰術步槍 Classic and Progressive intergraded ICAR-MRS Tactical rifle

ICS以經典名槍ICS-ICAR ARM (以色列加利步槍)為基礎,為符合現代化作戰需求,全新開發MRS(module rail system)系統,讓ICAR從經典粗獷搖身一變成為現代洗練的戰術型步槍!

更多的戰術配件安裝點、更好的人體工學規劃, ICS-ICAR MRS 用現代戰術步槍的姿態,華麗登場! ICS germinate MRS (modular rail system) idea entirely developing the classic well-known rifle based on current modern war game demand~ It makes over ICAR-MRS completely from crude but classically vary to the progressive Tactical rifle.

More installation for accessories > better figure to ergonomic —ICAR MRS debut gorgeously!








Product Features 產品特色1.

強韌且輕量的材質運用
Durable and light with manageable material

ICS ICAR-MRS保留了ICAR系列產品精緻的設計(真槍製程鋼沖壓及鋼脫臘件應用、左右連動射選系統、仿真槍刻字等等...)更導入了工業級尼龍塑料,製成MRS模組系統,強韌且輕量化,更符合實際下場需求! ICAR-MARS reserve the original series ICAR feature on refined design (utilize large number of steel dew axing process、the fire selector for left & right side simultaneously、simulate engraving of real weapon and etc.) Especially it leads to Industrial Grade Nylon Material forming MRS modular system. Durable and light body completely fit in with particular combatant!




●MG-36戰術護木組 Tactical handguard





MG-37貼腮組 Check rest set











ICS-96加利戰術步槍 ICAR-MRS.TACTICAL RIFLE DEBUT

Product Features 產品特色2.

MRS戰術軌道系統(module rail system)
MRS Tactical Module Rail system

ICS新開發了MG-36戰術護木組!具有四面軌道,符合M-1913 Picatinny標準規格快拆式模組,只要是符合Picatinny規格的戰術配件皆可以安裝。除此外更開發了MG-35上機匣組,將M-1913 Picatinny標準規格模組軌道設置於上機匣蓋,與MG-36完美搭配,讓上機匣軌道完整延伸至準心座,戰術配件的安裝選用可能性最大化! 另外MRS套件皆具備快拆功能,簡易的一字工具即可拆卸護木及上機匣蓋,裝備保修及電池更換更便利! ICS develop the new MG-36 Tactical Handguard set which includes four sides of Rails and conform to M1913 Picatinny standard dimension as swift dismantle modular and it compatible with any combatant accessories with Picatinny dimension. Furthermore, plus Upper Housing (MG-35) combine with Tactical Handguard (MG-36) as a best performance as possibility for using Rail to the Sight. Moreover, it's easy and convenience to install battery and facility on it!











ICS-96加利戰術步槍 ICAR-MRS.TACTICAL RIFLE DEBUT

Product Features 產品特色3.

可調式貼腮模組 Adjustable Cheek Rest

為了實踐精準射擊,ICS設計了ICAR專用可調式貼腮模組,5段高低可調,大大提升精準射擊的可能性,並保留ICAR可折式後托的便利性,在場上的機動力不減!

In order to shoot accurately, ICS design the specialized Adjustable Cheek Rest with five grades on adjustments which will upgrade the range of shooting accurate and reserve the facility of removable rear stock. It's perfect on mobility for a war game!













Product Features 產品特色4.

人體工學設計 Ergonomic Design

全新開發的MG-38戰術握把,更貼合手型,射擊持握時具最佳的手感。搭配適型貼腮版模組,讓射擊姿勢不再難以掌握! New developing for Tactical Grip (MG-38) is more suitable your hand figure and the best touch feeling on hand. Combine with suitable Cheek Rest modular, there is never hassle as act shooting posture!



Ergonomic Design







ICS-96 ICAR MRS Specification規格表

型號	ICS-96 ICAR MRS
便當盒	ICAR Gearbox(MG-25) 3 代便當盒
馬達	Turbo 3000 短軸馬達
槍身材質	鋼板沖壓、鋁合金鑄造、工業級強化塑料
初速	因不同的彈簧強度設定而會有不同的初速,原廠規格使用 M120彈簧
槍身長度	980mm
槍身長度(折疊後)	750mm
内管長度	515mm
槍重(不含電池)	2500g.
内管内徑	6.06mm
彈匣重量	220g.
彈匣容量	400 rounds
適用電池	可搭配 ICS MC-138/139/140
齒輪	ICS 原廠粉末冶金齒輪 (MC-14)
軸承	合金壓鑄含油軸承 (MC-03)

Item no.	ICS-96
Gear Box	ICAR Gearbox Version Ⅲ (MG-25)
Motor	Turbo 3000 short pin Motor
Material	Stamped Steel, Aluminum Alloy, Industrial Grade Plastic
Velocity	Velocity varies according to different spring setting and different regulation. The original factory setting is M120 spring.
Length	980mm
Length(folded)	750mm
Inner Barrel length	515mm
Weight(without battery)	2500g.
Barrel diameter:	6.06mm
Magazine weight	220g.
Magazine capacity	400 rounds
Battery	Suggest: ICS MC-138/139/140
Gears	ICS powder metallurgy Gear (MC-14)
Bushing	Aolly oiled bushing (MC-03)



